Products for applications in logistics and industries

Users have been impressed by the functionality and durability of Manner's castors for logistics and industrial uses. With their extra-strong structure, they are long-lasting and ideal for continuous heavy-duty use.

Lighter castors are ideal on sites such as breweries and dairies as well as logistics operations in shops.

The fork is made of pressed galvanised steel, and the double ball race in the swivel bearing is fitted with hardened steel balls. Maintenance-free castors with ball bearings make even the heaviest loads easy to handle.

Manner's range features several castor options for a variety of uses. The castors can be customised using the customer's colour scheme when the minimum number is ordered, and they are also available as conductive versions.

Heavy-duty castors are intended for equipment which must withstand heavy loads and excessive use. Manner's range includes castors with a load capacity of up to 6200 kg. The forks are fitted with a strong and durable swivel bearing, and the tread is made of polyamide, polyurethane or cast urethane. As standard, the castors are fitted with ball bearings that ensure easy manoeuvrability even under heavy loads.

CASTORS FOR APPLICATIONS IN LOGISTICS AND INDUSTRIES ARE SUITABLE FOR USES SUCH AS THE FOLLOWING:

INDUSTRIES

LOGISTICS

APPLICATIONS FOR THE HEAVY-DUTY CASTORS:

HEAVY INDUSTRIAL WAGONS AND EQUIPMENT

BOAT STANDS

HEAVY-DUTY HOISTS

PUMP CARTS

LIFT TRUCKS

Castors for applications in logistics and industries

WHEEL
N/K polyamide, ball bearing

Code	Title						
600068	**SI-100 N/K L**	100	37	51,5	11	•	450
600069	**SI-125 N/K L**	125	45	51,5	11	•	700
600070	**SI-150 N/K L**	150	48	61,5	15	•	900
600071	**SI-200 N/K L**	200	50	61,5	15	•	1200
600072	**SI-250 N/K L**	250	60	61,5	15	•	1400

NB. The measures of the hub length and the bore diameter include the axle bushing.

SWIVEL CASTOR, RECTANGULAR TOP PLATE

Code	Title									
600133	**SKLP-100 N/K L**	100	37	137	92	105X85	80X60	8	•	450
600134	**SKLP-125 N/K L**	125	45	163	104	135X110	105X80	10	•	450
600087	**SKLP-150 N/K L**	150	48	202	138	135X110	105X80	12	•	850
600088	**SKLP-200 N/K L**	200	50	249	165	135X110	105X80	12	•	850
600089	**SKLP-250 N/K L**	250	60	304	195	135X110	105X80	12	•	800

SWIVEL CASTOR, RECTANGULAR TOP PLATE, TOTAL-STOP BRAKE LOCKS WHEEL AND SWIVEL

Code	Title									
600135	**SKLP-J-100 N/K L**	100	37	137	140	105X85	80X60	8	•	450
600136	**SKLP-J-125 N/K L**	125	45	163	140	135X110	105X80	10	•	450
600137	**SKLP-J-150 N/K L**	150	48	202	165	135X110	105X80	12	•	850
600138	**SKLP-J-200 N/K L**	200	50	249	180	135X110	105X80	12	•	850
600139	**SKLP-J-250 N/K L**	250	60	304	210	135X110	105X80	12	•	800

FIXED CASTOR, RECTANGULAR TOP PLATE

Code	Title								
600140	**SPLP-100 N/K L**	100	37	137	105X85	80X60	8	•	450
600141	**SPLP-125 N/K L**	125	45	163	135X110	105X80	10	•	450
600097	**SPLP-150 N/K L**	150	48	202	135X110	105X80	12	•	850
600098	**SPLP-200 N/K L**	200	50	249	135X110	105X80	12	•	850
600099	**SPLP-250 N/K L**	250	60	304	135X110	105X80	12	•	800

WHEEL

ALV/K aluminium centre + cast polyurethane tread, ball bearing

Code	Title							Sh A
600073	**SI-80 ALV/K L**	80	40	51,5	11	•	250	95
600074	**SI-100 ALV/K L**	100	40	51,5	11	•	280	95
600075	**SI-125 ALV/K L**	125	30	51,5	11	•	250	95
600076	**SI-150 ALV/K L**	150	40	51,5	11	•	400	95
600077	**SI-200 ALV/K L**	200	50	61,5	15	•	800	95

NB. The measures of the hub length and the bore diameter include the axle bushing.

SWIVEL CASTOR, RECTANGULAR TOP PLATE

Code	Title										Sh A
600142	**SKLP-100 ALV/K L**	100	40	137	92	105X85	80X60	8	•	280	95
600143	**SKLP-125 ALV/K L**	125	30	163	104	135X110	105X80	10	•	250	95
600144	**SKLP-150 ALV/K L**	150	40	194	125	135X110	105X80	10	•	400	95
600104	**SKLP-200 ALV/K L**	200	50	249	165	135X110	105X80	12	•	800	95

SWIVEL CASTOR, RECTANGULAR TOP PLATE, TOTAL-STOP BRAKE LOCKS WHEEL AND SWIVEL

Code	Title										Sh A
600145	**SKLP-J-100 ALV/K L**	100	40	137	140	105X85	80X60	8	•	280	95
600146	**SKLP-J-125 ALV/K L**	125	30	163	140	135X110	105X80	10	•	250	95
600147	**SKLP-J-150 ALV/K L**	150	40	194	180	135X110	105X80	10	•	400	95
600148	**SKLP-J-200 ALV/K L**	200	50	249	180	135X110	105X80	12	•	800	95

FIXED CASTOR, RECTANGULAR TOP PLATE

Code	Title									Sh A
600150	**SPLP-100 ALV/K L**	100	40	137	105X85	80X60	8	•	280	95
600151	**SPLP-125 ALV/K L**	125	30	163	135X110	105X80	10	•	250	95
600152	**SPLP-150 ALV/K L**	150	40	194	135X110	105X80	10	•	400	95
600115	**SPLP-200 ALV/K L**	200	50	249	135X110	105X80	12	•	800	95

Castors for applications in logistics and industries

WHEEL

VV/K cast iron centre + cast polyurethane tread, ball bearing

Code	Title							Sh A	
600017	**SI-82 VV/K L**	82	28	41,5	9	•	220	95	
600079	**SI-100 VV/K L**	100	50	51,5	11	•	450	95	
600080	**SI-125 VV/K L**	125	50	51,5	11	•	480	95	
600013	**SI-150 VV/K L**	150	50	61,5	15	•	700	95	
600015	**SI-200 VV/K L**	200	50	61,5	15	•	1000	95	
600016	**SI-250 VV/K L**	250	60	75	19	•	1400	95	
600059	**SI-300 VV/K L**	300	70	75	18,5	•	2200	95	*
600060	**SI-400 VV/K L**	400	100	150,5	25	•	3200	95	*
600163	**SI-500 VV/K L 1)**	500	100	120	40 1)	•	3700	95	*

***Available to order (not in stock)**

NB. The measures of the hub length and the bore diameter include the axle bushing.
1) Bushing not included

SWIVEL CASTOR, RECTANGULAR TOP PLATE

Code	Title										Sh A	
600035	**SKL-82 VV/K L**	82	70	131	96	135X110	105X80	12	•	700	95	
600117	**SKL-100 VV/K L**	100	50	160	100	135X110	105X80	10	•	450	95	
600118	**SKL-125 VV/K L**	125	50	172	112,5	135X110	105X80	10	•	480	95	
600026	**SKL-150 VV/K L**	150	50	202	140	135X110	105X80	12	•	700	95	
600029	**SKL-200 VV/K L**	200	50	251	170	135X110	105X80	12	•	1000	95	
600032	**SKL-250 VV/K L**	250	60	307	210	200X160	160X120	14	•	1400	95	
600033	**SKL-300 VV/K L**	300	70	350	243	200X160	160X120	14	•	1800	95	*
600119	**SKL-400 VV/K L**	400	100	505	290	255X205	210X160	18	•	3200	95	*

***Available to order (not in stock)**

FIXED CASTOR, RECTANGULAR TOP PLATE

Code	Title									Sh A	
600055	**SPL-82 VV/K L**	82	70	131	135X110	105X80	12	•	700	95	
600120	**SPL-100 VV/K L**	100	50	160	135X110	105X80	10	•	450	95	
600121	**SPL-125 VV/K L**	125	50	172	135X110	105X80	10	•	480	95	
600048	**SPL-150 VV/K L**	150	50	202	135X110	105X80	12	•	700	95	
600051	**SPL-200 VV/K L**	200	50	251	135X110	105X80	12	•	1000	95	
600053	**SPL-250 VV/K L**	250	60	307	200X160	160X120	14	•	1400	95	
600122	**SPL-300 VV/K L**	300	70	350	200X160	160X120	14	•	1800	95	*
600123	**SPL-400 VV/K L**	400	100	505	255X205	210X160	18	•	3200	95	*

***Available to order (not in stock)**

TWIN WHEEL SWIVEL CASTOR, RECTANGULAR TOP PLATE

Code	Title										Sh A	
600019	**SKL-100/2 VV/K L**	100	30+30	140	105	135X110	105X80	12	•	600	95	*
600124	**SKL-125/2 VV/K L**	125	40+40	197	122	200X160	160X120	14	•	800	95	*
600024	**SKL-150/2 VV/K L**	150	40+40	210	135	200X160	160X120	14	•	1000	95	*
600028	**SKL-200/2 VV/K L**	200	50+50	270	170	255X205	210X160	16	•	2000	95	
600031	**SKL-250/2 VV/K L**	250	60+60	323	207	255X205	210X160	16	•	2800	95	
600164	**SKL-300/2 VV/K L**	300	70+70	380	240	255X205	210X160	16	•	3500	95	*
600165	**SKL-400/2 VV/K L**	400	100+100	564	290	255X205	210X160	20	•	6200	95	*

***Available to order (not in stock)**

TWIN WHEEL FIXED CASTOR, RECTANGULAR TOP PLATE

Code	Title									Sh A	
600041	**SPL-100/2 VV/K L**	100	30+30	140	135X110	105X80	12	•	600	95	*
600125	**SPL-125/2 VV/K L**	125	40+40	197	200X160	160X120	14	•	800	95	*
600046	**SPL-150/2 VV/K L**	150	40+40	210	200X160	160X120	14	•	1000	95	*
600050	**SPL-200/2 VV/K L**	200	50+50	270	255X205	210X160	16	•	2000	95	
600052	**SPL-250/2 VV/K L**	250	60+60	323	255X205	210X160	16	•	2800	95	
600166	**SPL-300/2 VV/K L**	300	70+70	380	255X205	210X160	16	•	3500	95	*
600167	**SPL-400/2 VV/K L**	400	100+100	564	255X205	210X160	20	•	6200	95	*

***Available to order (not in stock)**