

Medical castors

Manner's medical castors combine perfect design, innovation, practicality and reliability. The castors are easy to manoeuvre and maintenance-free. The castors are made of glass fibre reinforced polyamide. Thanks to the materials and design, the castors are corrosion-resistant and easy to clean.

The range includes both traditional single-wheel solutions and twin-wheel castors. The products offer plenty of opportunities for customised solutions, subject to minimum order quantities. The range of medical castors includes the following well-known Manner brands.

Medical castors include castors in the Tango, Twist and e-SMART series.

MEDICAL CASTORS ARE SUITABLE FOR APPLICATIONS SUCH AS THE FOLLOWING:



HEALTH CARE



KITCHENS AND RESTAURANTS



INSTITUTIONS AND BUSINESSES

SHOWER CHAIRS

ASSISTIVE DEVICES

CARE BEDS

HOSPITAL BEDS

TREATMENT CHAIRS

REHABILITATION EQUIPMENT

HOSPITAL FURNITURE AND EQUIPMENT

INDUSTRIAL KITCHEN EQUIPMENT

SERVING TROLLEYS

SHOP FURNISHINGS

The e-SMART – is an equipment castor with electric central locking. Its superior ergonomics and safety improve and facilitate work.



reddot design award
best of the best 2010

SWIVEL CASTOR WITH ELECTRIC CENTRAL LOCKING
ELECTRIC CENTRAL LOCKING LOCKS WHEEL AND SWIVEL

GPF/K glass fibre reinforced polyamide centre + soft polyurethane tyre, ball bearing
Mounting on a rectangular mounting tube with external dimensions of 50x50 mm



Code	Title								Sh A
302962	FK50X50-EJ-S-125 GPF/K	125	32	172	105	46X46	•	150	80

SWIVEL CASTOR WITH ELECTRIC DIRECTIONAL LOCKING
ELECTRIC DIRECTIONAL LOCK LOCKS THE CASTOR IN THE DIRECTION OF TRAVEL

Mounting on a rectangular mounting tube with external dimensions of 50x50 mm



Code	Title								Sh A
302974	FK50X50-ER-S-125 GPF/K	125	32	172	105	46X46	•	150	80
302977	FK50X50-ER90-S-125 GPF/K	125	32	172	105	46X46	•	150	80

Two models, depending on how the mounting tube is in relation to the direction of travel.

SWIVEL CASTOR WITH ELECTRIC CENTRAL LOCKING
ELECTRIC CENTRAL LOCKING LOCKS WHEEL AND SWIVEL

Mounting on a round mounting tube with external diameter of 60 mm



Code	Title								Sh A
302975	FK60-EJ-S-125 GPF/K	125	32	167	105	54,5	•	150	80

SWIVEL CASTOR WITH ELECTRIC DIRECTIONAL LOCKING
ELECTRIC DIRECTIONAL LOCK LOCKS THE CASTOR IN THE DIRECTION OF TRAVEL

Mounting on a round mounting tube with external diameter of 60 mm



Code	Title								Sh A
302976	FK60-ER-S-125 GPF/K	125	32	167	105	54,5	•	150	80
302978	FK60-ER90-S-125 GPF/K	125	32	167	105	54,5	•	150	80

Two models, depending on how the mounting tube is in relation to the direction of travel.

Castors must be connected to a control system which controls their functions.
Contact us for more detailed information.